

WHY STREAMLIGHT.

IT COMES DOWN TO PERFORMANCE. PERIOD

People who depend on their flashlights – often for their lives – count on them to perform every time. The conditions don't matter, whether in the freezing cold, scorching heat, desert dry conditions or rainforest humidity. Some flashlights may have even been abused, dropped in water, or left in icy snow – no matter what, Streamlight products stand up to the worst conditions.

Streamlight users know that our lighting tools deliver the best performance for any task at hand. Whether it's lighting up a whole room or long range lighting, scene lighting or task lighting or even specialized lighting such as Infra-Red or Ultraviolet illumination, Streamlight has the right tool for the job. And when size and run time are essential, we offer several products that shine brighter and last longer.

BEHIND THE PERFORMANCE

A lot goes into bringing you lights that deliver this kind of performance. It begins with YOU. We listen to our customers and learn what they need. Understanding how lights are used in different situations leads to innovative designs and game-changing technologies. After we've met the challenges involved with designing and engineering a light, we put it through the most demanding industry tests to ensure the highest levels of performance and dependability.

All types of people depend on our products to perform, to increase productivity and to save lives. Whether you're in combat, serving and protecting the community, fighting fires, involved in search and rescue, working on utilities, camping, plumbing, auto repair or just lighting your home in a power failure, you can trust Streamlight.

2

GET MORE INFO AT: STREAMLIGHT.COM / TUNE INTO YOUTUBE.COM/STREAMLIGHTTV

991162_Rev e_2019-SL_Fire-Catalog.indd 2 3/22/19 3:50 PM





CONTINUOUS INNOVATION & EW PRODUCTS

IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions. The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.







FIRE VULCAN® LED pg. 13



SURVIVOR®





VANTAGE® pg. 27



POLYTAC 90® pg. 27



POLYTAC® HELMET LIGHTING KIT pg. 28



3AA PROPOLYMER® HAZ-LO® HELMET LIGHTING KIT pg. 29



4AA PROPOLYMER® LUX® pg. 29



STYLUS PRO® pg. 31



STYLUS PRO® USB



DUALIE® 2AA



DUALIE® 3AA



DUALIE® RECHARGEABLE pg. 36



SUPER SIEGE®



THE SIEGE®



SIEGE® AA



SIEGE® X USB



TWIN-TASK® 3AA HEADLAMP pg. 41

GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 4 3/22/19 3:50 PM





VULCAN® 180 pg. 6



E-FLOOD® LITEBOX® HL pg. 7



HID LITEBOX® pg. 7



PORTABLE SCENE LIGHT/EXT pg. 8



E-FLOOD® LITEBOX® pg. 12



E-SPOT® LITEBOX® pg. 12



DUALIE WAYPOINT® pg. 20



WAYPOINT® pg. 21



WAYPOINT® RECHARGEABLE pg. 21



VANTAGE® 180 X pg. 23



18650 USB BATTERY & BANK CHARGER pgs. 24-25



VANTAGE® II pg. 26



MICROSTREAM® pg. 31



MICROSTREAM® USB pg. 31



STINGER LED HL® pg. 32



STRION LED HL® pg. 32



POLYTAC® X pg.34



PROTAC® HL-X pg. 34



PROTAC® 90 pg. 35



BANDIT® PRO pg. 41



ENDURO® PRO pg. 41



VANTAGE® (NFFF) pg. 42



SIEGE® AA (NFFF) pg. 42



NANO LIGHT® (NFFF) pg. 42





VULCAN® 180

1,200 LUMENS

Designed to burn brighter and run longer. The multi-function Vulcan 180 $\,$ features a 180° articulating head to aim the beam for scene lighting and high and low modes so you can select between extreme brightness or longer run time.

BATTERY: Lithium ion SIZE: 7.43" (18.8 cm) WEIGHT: 2.47 lbs (1.12kg) **COLOR:** Orange



Class I, Div. 2 Groups A, B, C, D; Class II Division 2 F, G: Class III; Temperature Class T4

HIGH Lnw LUMENS: 1,200 350 CANDELA: 75,000 22,000 BEAM: 548m 296m **RUN TIME:** 4h 45m 16h

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position











accommodates heavy gloves and makes hand-offs easier



charge indicator



be seen even from behind

PART NBR	ITEM DESCRIPTION
44311	VULCAN 180 - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE STRAP - ORANGE
44315	VULCAN 180 - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE STRAP - ORANGE

GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 6 3/22/19 3:50 PM

E-FLOOD® LITEBOX® HL

The E-Flood LiteBox HL features six ultra-bright white LEDs that produce 5,300 lumens to flood an entire area with light. An integrated diffuser lets you select from a flood and spot lens in three lighting intensities and a 90° swivel neck lets you aim light where it's needed. It's ideal for illuminating a rescue scene or any site that requires a large flood beam. Includes a 10ft DC power cord - plug into external power source, and it will charge while in use.

BATTERY: Zero-maintenance 12V sealed lead acid

SIZE: 12.3" x 5.1" x 7.7" [31 x 13 x 19 cm]

WEIGHT: 10.4 lb (4.7 kg)

COLOR: Orange

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

PART NBR	ITEM DESCRIPTION
45661	E-FLOOD LITEBOX HL - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK - ORANGE
45665	E-FLOOD LITEBOX HL - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
45660	E-FLOOD LITEBOX HL - WITHOUT CHARGER - ORANGE

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	1.75h	4.5h	10h



5,300 LUMENS

HID LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. It features a 35W, high intensity xenon lamp and a 90° swivel head. Intense brightness and amazing 1-mile reach make this the ideal hand-held lantern when you need to inspect an entire area quickly and efficiently.

BATTERY: Zero-maintenance 12V sealed lead acid

SIZE: 14.9" (38 cm)

WEIGHT: 10 lbs 1.6 oz (4.6 kg) **COLOR:** Orange or Black

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

ORANGE	BLACK	ITEM DESCRIPTION
45601	45621	HID LITEBOX - STD SYSTEM - 120V AC/12V DC, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45605	45625	HID LITEBOX - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45600	45620	HID LITEBOX -WITHOUT CHARGER - INCLUDES 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS

LUMENS: 3,350 CANDELA: 1,000,000 RUN TIME: 1h 45m





10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide indefinite run time

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the power cord



PORTABLE SCENE LIGHT

	HIGH	MEDIUM	LOW	
LUMENS:	5,300	2,500	1,300	
DISTANCE:	410m	292m	215m	
RUN TIME:	4h	9h	18h	

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels.

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

Two models:

Portable Scene Light - features a telescoping pole that extends to 72" [182.88cm]



Portable Scene Light EXT - features a longer telescoping pole that extends to 84"~[213.36~cm]

PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance 12V sealed lead acid SIZE: 22" (55.88 cm)

WEIGHT: 25 lb (11.3 kg)
COLOR: Yellow

PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance

12V sealed lead acid **SIZE:** 25.5" [64.8 cm] **WEIGHT:** 25.5 lb (11.6 kg)

COLOR: Yellow







PART NBR	ITEM DESCRIPTION
45670	PORTABLE SCENE LIGHT -120V AC/12V DC — YELLOW
45680	PORTABLE SCENE LIGHT EXT -120V AC/12V DC — YELLOW

B GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 8 3/22/19 3:50 PM



TUNE INTO YOUTUBE.COM/STREAMLIGHTTV



PORTABLE SCENE LIGHT II



	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc.

The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.

Digital display shows intensity level and run time



Toggle switch choose from 5 intensity levels

BATTERY: Lithium ion

SIZE: 16x11x12 in; [40.6x28.9x30.5 cm]

WEIGHT: 15.38 lbs (6.10kg)

COLOR: Red

PART NBR	ITEM DESCRIPTION
46000	PORTABLE SCENE LIGHT II -120V AC/12V DC — RED

10 GET MORE INFO AT STREAMLIGHT.COM



Hang over doors, guard rails, fences, etc.



CORDLESS AND COMPACT

PREVENTS TRIP HAZARDS

TAKE YOUR WORK SITE FROM THIS:



The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs - so if you need to grab one off the stack and move to another location, it won't weigh you down.

Special Features:

- Portable, cordless, ultra compact
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
 - Batteries will continue to charge while in use
- IP67 rated; dust-tight and waterproof to 1m for 30 minutes

TO THIS:







THE E-FLOOD & E-SPOT SERIES ARE ABOUT

DELIVERING THE RIGHT LIGHT

EXACTLY WHERE YOU NEED IT.

E-FLOOD® LITEBOX® E-FLOOD® FIREBOX®





E-SPOT® LITEBOX® E-SPOT® FIREBOX®

	HIGH	LOW
LUMENS:	540	330
CANDELA:	55,000	32,000
DISTANCE:	469m	358m
RUN TIME:	7h	15h





E-Spot FireBox features dual rear LEDs to ensure you can be seen from

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position



E-Spot FireBox features dual rear LEOs to ensure you can be seen from behind.

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

Six LEDs spread light over an entire area. An extended run time – 18 hours – allows you to keep large areas illuminated no matter how long your shift lasts. Swivel the head to point light where you need it. IPX4 water-resistant.

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. It features a swivel head that makes it easy to inspect ceilings and out-of-the-way places. IPX4 water-resistant.

E-FLOOD LITEBOX / E-FLOOD FIREBOX

BATTERY: Zero-maintenance sealed lead acid

SIZE: 11.5 (29.2 cm)

WEIGHT: 7 lbs 14.4 oz (3.58 kg) **COLOR:** Orange, Yellow or Beige

E-SPOT LITEBOX / E-SPOT FIREBOX

BATTERY: Zero-maintenance sealed lead acid


SIZE: 11.5 (29.2 cm)

WEIGHT: 7 lbs 14.4 oz (3.58 kg) **COLOR:** Orange, Yellow or Beige

ORANGE	YELLOW	BEIGE	ITEM DESCRIPTION
E-FLOOD	LITEBOX		
45801	45821		E-FLOOD LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45805	45825		E-FLOOD LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45807		45817	E-FLOOD LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45806	45826	45816	E-FLOOD LITEBOX- WITHOUT CHARGER
E-FLOOD	FIREBOX	(DUAL RE	EAR LEDS)
45811			E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45815			E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45832			E-FLOOD FIREBOX - WITHOUT CHARGER

ORANGE	YELLOW	BEIGE	ITEM DESCRIPTION
E-SPOT L	ITEBOX		
45851	45871		E-SPOT LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45855	45875		E-SPOT LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45857		45867	E-SPOT LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45856	45866	45876	E-SPOT LITEBOX- WITHOUT CHARGER
E-SPOT F	IREBOX (DUAL REA	AR LEDS)
45861			E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45865			E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45882			E-FLOOD FIREBOX - WITHOUT CHARGER

 $Power\ Failure\ System\ features\ "Smart"\ power\ failure\ circuitry\ which\ automatically\ illuminates\ the\ light\ when\ the\ power\ is\ lost.$



FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7 rated - waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

BATTERY: LITHIUM ION SIZE: 7.5" (19.05 cm) **WEIGHT:** 1 lb 13.6 oz (839 g)


COLOR: Orange

SGS

Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F, G; Class III T-Code: T4 NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

PART NBR	ITEM DESCRIPTION
44450	FIRE VULCAN LED - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & RACK - ORANGE
44451	FIRE VULCAN LED - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
44454	FIRE VULCAN LED - WITHOUT CHARGER - ORANGE



Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.





TUNE INTO YOUTUBE.COM/STREAMLIGHTTV



RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY	PART #	GOES WITH
Standard Mounting Rack — Orange Vehicle Mounting Rack — Orange	45070 45071	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox,HID LiteBox
Standard Mounting Rack—Yellow Vehicle Mounting Rack—Yellow	45072 45074	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox
Standard Mounting Rack — Beige	45073	E-Flood LiteBox, E-Spot LiteBox Power Failure Systems
Standard Mounting Rack — Black Vehicle Mounting Rack — Black	45075 45076	HID LiteBox
Standard Charge Rack - Black Vehicle Mounting Rack - Black	44103 44132	Fire Vulcan LED
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack Kit - Black	44350 44306	Vulcan 180
12V DC (Car Socket) Charge Cord	22051	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/ FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
12V DC Charge Cord	22050	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/ FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
12V DC Charge Cord (10 ft/3m)	22056	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II, E-Flood LiteBox HL, HID LiteBox
120V AC Charge Cord	22060	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/ FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Power Supply 120V AC Charge Cord	22073 22074	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II
Battery (Sealed Lead Acid)	45630	Portable Scene Light, Portable Scene Light EXT, E-Flood LiteBox HL, HID LiteBox
Battery (Sealed Lead A	45937	E-Flood LiteBox, E-Spot LiteBox
Battery (Lithium Ion)	44610	Fire Vulcan LED
Battery (Lithium Ion)	44351	Vulcan 180



RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY	PART #	GOES WITH
HID Bulb Kit	45637	HID LiteBox
Flood Lens	45657	HID LiteBox
IR Filter	45654	HID LiteBox
E-Spot Upgrade Kit	45845	E-Spot LiteBox/FireBox
E-Flood Upgrade Kit	45842	E-Flood LiteBox/FireBox
Quick Release Strap	44050	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/ FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Heavy Duty Strap	45232	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Heavy Duty Strap with Carabiner Lock	45677	Portable Scene Light

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV



BATTERY: Rechargeable NiCd or 4 "AA" alkaline

SIZE: 7.6" (17.92 cm) **NICD WEIGHT:** 18 oz (510 g) ALKALINE WEIGHT: 13.7 oz [388 g] COLOR: Orange, Yellow, or Black

ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
90503	90513	90523	SURVIVOR - 120V AC/12V DC, 2 HOLDERS
90502	90512	90522	SURVIVOR - 120V AC FAST CHARGER
90509	90519	90528	SURVIVOR - 12V DC FAST CHARGER
90500	90510	90520	SURVIVOR - WITHOUT CHARGER
90540	90541	90545	SURVIVOR - ALKALINE



Class I & II, Division 1, Groups C,D,E,F,G; Class III, T4 Class I, Division 2, Groups A,B,C,D; T4

NFPA

Rack meets requirements of 1901-14.1.11.2 (2003) mounted in any position

MSHA

Permissible Flashlight, Approval No. 20-A150001-0 (Alkaline model)





Interchangeable Smoke Cutter® plugs:



Black reduces peripheral light for a tighter beam



Amher reduces peripheral light and eye fatigue caused by glare

NICD MODEL	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14.000
DISTANCE:	405m	237m
RUN TIME:	3h 30m	13h

Moonlight mode: 20 days of continuous run time Flash runs 8 hours


ALKALINE MODEL	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14,000
DISTANCE:	405m	237m
RUN TIME:	4h	15h

Moonlight mode: 20 days of continuous run time Flash runs 8 hours



GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 16 3/22/19 3:51 PM



KNUCKLEHEAD® SPOT

HIGH	LOW
180	55
11,000	3,300
210m	115m
3h 30m	16h
	180 11,000 210m

Moonlight mode: 20 days of continuous run time Flash: 8 hours continuous time

Spring-loaded clip attaches to turn-out gear for convenient hands-free lighting.



Powerful magnet



Class I, Div. 2, Grps A, B, C, D, Class II, Div. 2, Grps F, G Class III T3C

NFPA

Rack meets requirements of 1901-14.1.11.2 (2009) mounted in any position

Its far-reaching beam helps locate hazards or victims from a distance. The following features are designed to give firefighters added flexibility: Articulating, rotating head makes it easy to aim light where it's needed. Powerful, removable magnet adheres to steel surfaces. Spring-loaded clip grabs onto turnout gear. Four modes include high, low, flash and moonlight (for low-level lighting and a 20-day run time). Unbreakable, anti-scratch lens. O-ring sealed. IPX4 water-resistant.

BATTERY: Rechargeable NiCd; also accepts 4 "AA" alkaline

batteries

SIZE: 9.2" (23.4 cm)

NICD WEIGHT: 1 lb 7.1 oz (655 g) ALKALINE WEIGHT: 1 lb 2.3 oz (519 g)

COLOR: Orange

PART NBR	ITEM DESCRIPTION
90757	120V AC/12V DC - ORANGE
90761	120V AC FAST CHARGE - ORANGE
90770	12V DC FAST CHARGE - ORANGE
90751	WITHOUT CHARGER - ORANGE
90744	ALKALINE MODEL - ORANGE

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV





SURVIVOR/KNUCKLEHEAD ACCESSORIES

KNUCKLEHEAD/SURVIVOR ACCESSORIES	KNUCKLEHEAD FLOOD	KNUCKLEHEAD SPOT	KNUCKLEHEAD HAZ-LO FLOOD	KNUCKLEHEAD HAZ-LO SPOT	SURVIVOR
5 Unit 120V AC Bank Charger	90400	90400	90400	90400	90400
5 Unit 12V DC Bank Charger	90401	90401	90401	90401	90401
Smart Charger	90116	90116	90116	90116	90116
DC Fast Smart Charger	90118	90118	90118	90118	90118
NiCd Battery	90130	90130	90130	90130	90130
NiMH Battery	90336	90336			
Alkaline Battery Cartridge	90542	90542	90542	90542	90542
12V DC1 Charge Cord	22051	22051	22051	22051	22051
12V DC2 Charge Cord	22050	22050	22050	22050	22050
120V AC Charge Cord	22060	22060	22060	22060	22060

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV



DUALIE WAYPOINT®

The Dualie Waypoint features dual beam technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. See what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring. Its ergonomic handle hooks over doors, pipes, ladder rungs, etc., for hands-free use. IPX7 waterproof to 1m, making it ideal for wet applications.




SPOT BEAM	HIGH	MEDIUM	LOW	
LUMENS:	750	500	35	
CANDELA:	75,000	45,000	3,200	
DISTANCE:	548m	426m	113m	
RUN TIME:	3h 30m	6h	125h	

FLOOD BEAM	HIGH	MEDIUM	LOW
LUMENS:	500	230	25
CANDELA:	250	120	10
DISTANCE:	31m	22m	6m
RUN TIME:	5h	12h 30m	170h

BATTERY: 4 "C" batteries (not included)

SIZE: 6.75" (17.14 cm) **WEIGHT:** 2.6 lb (816 g) **COLOR:** Yellow

PART NBR	ITEM DESCRIPTION
44940	DUALIE WAYPOINT - WRAP - YELLOW
44955	DUALIE WAYPOINT - BOX - YELLOW





Push button switch with momentary and click on operation. The rotary switch selects the main/front beam, bottom/area light, or both.



LED bottom facing flood light can be used individually or with the forward facing spot beam.



Integrated stand and D-ring for hands-free lighting.

WAYPOINT®

12V DC power cord provides unlimited run time Emergency signal: runs 82 hours





WAYPOINT® RECHARGEABLE



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4 water-resistant.

BATTERY: 4 "C" batteries (not included)

SIZE: 6.75" (17.15 cm) **WEIGHT:** 1 lb 12.8 oz (816 g) **COLOR:** Yellow or Black

The rechargeable Waypoint produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand is easy to set up for hands-free area lighting. Recharges in 4 hours. IPX8 waterproof to 2m. Integrated stand for hands-free lighting.

BATTERY: Lithium Ion SIZE: 6.75" (17.15 cm) WEIGHT: 1 lb 8.32 oz (691 g) COLOR: Yellow or Black





Polymer storage mount (included)





PART NBR	ITEM DESCRIPTION
44900	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - YELLOW
44902	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - BLACK
44904	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - YELLOW
44905	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - BLACK
44908	POLYMER STORAGE MOUNT
44903	12V DC POWER CORD*

^{*12}V DC POWER CORD DOES NOT CHARGE BATTERIES

PART NBR	ITEM DESCRIPTION
44910	WAYPOINT RECHARGEABLE - 120V AC - BOX - YELLOW
44911	WAYPOINT RECHARGEABLE - 120V AC - BOX - BLACK
44901	POLYMER STORAGE MOUNT
44909	120V AC CHARGE CORD
44923	12V DC CORD

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV







VANTAGE® 180 X USB // VANTAGE® 180 X

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight 18650 USB battery with integrated USB port. The Vantage 180 X includes two CR123 batteries. Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.



BATTERY: 18650 USB rechargeable battery or

2 CR123A lithium batteries SIZE: 5.20" (13.20 cm)

WEIGHT: 5.9 oz (167g) (18650 USB); 5.5 oz (156 g) (CR123A)

COLOR: Black or Orange

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



ORANGE	BLACK	ITEM DESCRIPTION	
88911	88913	VANTAGE 180 X USB WITH 18650 USB BATTERY - BOX	
88901	88903	VANTAGE 180 X WITH LITHIUM BATTERIES - BOX	





ALLOWS YOU TO POWER YOUR LIGHT WITH A STREAMLIGHT RECHARGEABLE 18650 USB BATTERY OR 2 CR123A LITHIUM BATTERIES



– Blue LED for helmet mount use and visibility in heavy smoke

 White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



ACCESSORIES

ITEM NBR	ITEM DESCRIPTION
88906	VANTAGE 180 X HELMET MOUNT
22010	18650 CHARGER KIT - USB, INCL. (2) 18650 USB BATTERIES
22011	18650 CHARGER KIT - 120V AC , INCL. (2) 18650 USB BATTERIES
22100	18650 BATTERY CHARGE CRADLE
22070	USB CORD A TO MICRO 40" (101 CM)
22081	USB CORD A TO USB MICRO 22" (55.88 CM)
22082	USB CORD Y-SPLIT
22101	18650 USB BATTERY
22102	18650 USB BATTERY - 2 PACK
85175	LITHIUM BATTERIES—2 PACK
85180	LITHIUM BATTERIES—6 PACK
85177	LITHIUM BATTERIES—12 PACK
85179	LITHIUM BATTERIES-400 PACK

MULTI-FUEL FLEXIBILITY

A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



18650 USB BATTERY

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems.

USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge.

Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.


BATTERY: 2600mAh 18650 USB button top lithium ion

BATTERY SIZE: 2.75" [7 cm]
BATTERY WEIGHT: 1.7 oz [48g]

OPTIONAL 18650 CHARGE CRADLE

SIZE: 4.5" (11.4cm) **WEIGHT:** 2.4 oz (68g)











STREOMLIGHT

CHARGED

ITEM#	ITEM DESCRIPTION
22102	18650 USB BATTERY - 2PK
22100	18650 USB BATTERY CHARGE CRADLE
22010	18650 USB CHARGE KIT - USB CORD, 2 18650 USB BATTERIES
22011	18650 USB CHARGE KIT - 120V AC, 2 18650 USB BATTERIES
22070	40" (101 CM) USB CORD
22081	22" (55.88 CM) USB CORD

24 GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 24 3/22/19 3:51 PM

ORGANIZE, STORE AND CHARGE

YOUR 18650 BATTERIES

EIGHT-UNIT 18650 BATTERY BANK CHARGER

Charge up to eight batteries with Streamlight's 18650 battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

NFPA Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position





ITEM#	ITEM DESCRIPTION
20221	8-UNIT BANK CHARGER - 120V AC
20220	8-UNIT BANK CHARGER - 12V DC
20224	8-UNIT BANK CHARGER - WITH BATTERIES - 120V AC
20223	8-UNIT BANK CHARGER - WITH BATTERIES - 12V DC
44909	120V AC CORD
44923	12V DC CORD

WEIGHT: 7.6 oz. (216g) w/o batteries; 20.88 oz. (592g) w/ batteries

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV

991162_Rev e_2019-SL_Fire-Catalog.indd 25 3/22/19 3:51 PM



VANTAGE® II

Lightweight, compact and low profile, the VANTAGE® II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

Attaches securely to your helmet - above or below brim in seconds!



BATTERY: 1 CR123A lithium

SIZE WITH FIRE MOUNT: 2.37" (6.01 cm) FIRE MOUNT WEIGHT: 3.65 oz (103.5 g)


COLOR: Black

ITE	M NBR	ITEM DESCRIPTION	
6	9331	VANTAGE II - [FIRE] BLACK WITH BLUE TAILLIGHT LED	
6	9333	VANTAGE II - [IND] BLACK WITH BLUE TAILLIGHT LED	



26 GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 26 3/22/19 3:52 PM





The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright taillight LED so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

BATTERY: 2 CR123A lithium SIZE: 3.26" (8.28 cm) WEIGHT: 5.14 oz (145.7 g) COLOR: Black, Green or Red

NFPA

Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test Use this versatile, compact, right-angle flashlight as a headlamp or clip on to turn-out gear. It's super bright and extremely durable with a nylon polymer housing. Three modes include high, low and strobe. 1m impact resistance tested. IPX7 rated design; waterproof to 1m for 30 minutes. Integrated carabiner style D-ring for a variety of attachment methods. Versatile clip allows a variety of mounting positions. Maximum light output throughout battery life.

BATTERY: 2 CR123A lithium **SIZE:** 5.22" (8.28 cm) **WEIGHT:** 4.1 oz (116q)

COLOR: Orange, Yellow or Black

NFPA Meets requirements of NFPA 1971-8.6 (2007)

ITEM NBR	ITEM DESCRIPTION
69140	VANTAGE - BLACK WITH BLUE TAILLIGHT LED
69157	VANTAGE - RED WITH BLUE TAILLIGHT LED
69189	VANTAGE - GREEN WITH GREEN TAILLIGHT LED

ORANGE YELLOW BLACK ITEM DESC		BLACK	ITEM DESCRIPTION
88834	88831	88830	POLYTAC 90 WITH LITHIUM BATTERIES
88832			POLYTAC 90 WITH LITHIUM BATTERIES AND GEAR KEEPER

Accessory	Part #	Goes With
Gear Keeper	88833	PolyTac 90
Elastic Headstrap - Coyote	14059	PolyTac 90
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85180 85177 85179	PolyTac 90, Vantage, Vantage II

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV



STREAMLIGHT HELMET LIGHTING KITS

Streamlight's lighting kits fit both traditional and modern style fire fighting helmets. They provide a low-profile, lightweight and economical alternative for securely mounting a flashlight to almost any style fire helmet.

Streamlight's Helmet Mount can be used in conjunction with the PolyTac or 3AA ProPolymer HAZ-LO. Durable, lightweight, aluminum mount easily attaches to the brim of firefighters' helmets with no tools required.

Rubber Helmet Strap can be used in conjunction with the PolyTac or 3AA ProPolymer HAZ-LO. It is an easy, "no tools required" method to attach your flashlight to almost any helmet. Made of high-strength rubber. Also fits hard hats.

POLYTAC® HELMET LIGHTING KIT

Kit includes PolyTac with lithium batteries, helmet mount and rubber helmet strap.

PolyTac features a rugged housing, extreme brightness and extended run times. TEN-TAP® Programming lets you choose the order of operating modes: 1.] high/strobe/low; 2.] high only; 3.] low/high. IPX7- waterproof to 1m for 30 minutes.

BATTERY: 2 CR123A lithium **SIZE:** 5.34" (13.56 cm) **WEIGHT:** 4.1 oz (116 g) **COLOR:** Yellow

NFPA
Meets requirements of NFPA 1971-8.6 (2007)



Kit includes PolyTac, CR123A lithium batteries, helmet mount and rubber helmet strap

PART NBR	ITEM DESCRIPTION
88854	HELMET LIGHTING KIT — YELLOW POLYTAC, RUBBER HELMET STRAP, HELMET MOUNT AND LITHIUM BATTERIES



Durable, aluminum helmet mount makes it easy to transition the PolyTac from a helmet mounted light to a handheld lighting tool in seconds



Rubber helmet strap is an easy "no tools required" method to attach your flashlight to your helmet

HELMET LIGHTING KIT ACCESSORIES

ACCESSORY	PART#	GOES WITH
Helmet Mount	68085	PolyTac, 3AA ProPolymer HAZ-LO, 4AA ProPolymer Lux
Rubber Helmet Band	99075	PolyTac, 3AA ProPolymer HAZ-LO, 4AA ProPolymer Lux
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85180 85177 85179	PolyTac

3AA PROPOLYMER® HAZ-LO® HELMET LIGHTING KIT

Kit includes 3AA ProPolymer HAZ-LO with alkaline batteries, helmet mount and rubber helmet strap.

3AA ProPolymer HAZ-LO is an intrinsically safe flashlight for use in hazardous locations. It produces a tight beam with optimum peripheral illumination. Resistant to chemicals and solvents. IP67 rated dust-tight and waterproof to 1m for 30 minutes; IPX4 for water spray.

BATTERY: 3 "AA" alkaline SIZE: 7.0" (17.78 cm) WEIGHT: 7.5 oz (213 g) COLOR: Yellow

MSHA

Permissible Flashlight. Approval No. 20-A140003-0 — Tested for Intrinsic Safety in Methane-Air mixtures only. Sp281176

Class I, Div 1, Groups A, B, C, D; Class II, Div. 1, Groups E, F, G; Class III, T4 Exia

 LUMENS:
 120

 CANDELA:
 14,000

 DISTANCE:
 237m

 RUN TIME:
 6h 30m







Kit includes 3AA ProPolymer HAZ-LO, alkaline batteries, helmet mount and rubber helmet strap

PART NBR ITEM DESCRIPTION

68270 HELMET LIGHTING KIT— 3AA PROPOLYMER HAZ-LO, RUBBER HELMET STRAP, HELMET MOUNT AND ALKALINE BATTERIES

4AA PROPOLYMER® LUX®

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1m for 30 minutes. 1m impact-resistance tested. Corrosion-proof.

BATTERY: 4 "AA" alkaline SIZE: 7" [17.78 cm] WEIGHT: 7.6 oz (216 g) COLOR: Yellow or Black

RUN TIME:	6h
DISTANCE:	130m
CANDELA:	4,200
LUMENS:	100





Class I & II, Div. 1, Groups C, D, F & G; Class I, Div. 2, Groups A, B, C, D; Class III, T4 C UL

Class I & II, Div. 1, Groups C, D, F & G; Class III, T4 Exia Non-incendive: Class I, Div. 2, Groups A, B, C, D



Permissible Flashlight App. No. 20-A060002-0 Tested for use in methane-air mixtures only

YELLOW BLACK ITEM DESCRIPTION

68244 68344 4AA PROPOLYMER LUX DIV. 2 WITH ALKALINE BATTERIES
68602 68702 4AA PROPOLYMER LUX DIV. 1 WITH ALKALINE BATTERIES

4AA Lux Div. 2




Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&G; Class III, T3C (142 C)

c UL

Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&G; Class III, T3C (142 C)

NFPA

Meets requirements of NFPA 1971-8.6 (2007); 500° heat resistance test



ULTRA-COMPACT

PERSONAL LIGHTS

CONVENIENTLY FIT IN YOUR POCKET.

STYLUS PRO®

LUMENS:	90
CANDELA:	860
DISTANCE:	58m
RUN TIME:	6h 30m



IICROSTREAM®

LUMENS:	45	
CANDELA:	420	
DISTANCE:	41m	
RUN TIME:	2h 15m	



The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 58 meters.

BATTERY: 2 "AAA" alkaline

DATIENTIE ///// UINGIIIIO			
SIZE: 5.3" (13.4 cm)			
WEIGHT: 1.64 oz (46.9g)			
COLOR: Black or Red			

ITEM NBR	ITEM DESCRIPTION
66118	STYLUS PRO WITH ALKALINE BATTERIES — MATTE BLACK
66120	STYLUS PRO WITH ALKALINE BATTERIES — RED
66028	NYLON HOLSTER

The MicroStream is small enough for you to discreetly keep it in your pocket or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

BATTERY: 1 "AAA" alkaline SIZE: 3.6" (91.5 mm) **WEIGHT:** 1.1 oz (31.2q) COLOR: Black or Red

ITEM NBR	ITEM DESCRIPTION
66318	MICROSTREAM WITH ALKALINE BATTERIES - CLAM - BLACK
66323	MICROSTREAM WITH ALKALINE BATTERIES - CLAM - RED

STYLUS PRO® USB

	HIGH	LOW
LUMENS:	250	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1h 30m	3h 30m



You won't want to be without this sleek, compact penlight that USB rechargeable. High and low modes for brighter light or longer run time. Consistent light output throughout battery life. IPX4 water-resistant.

BATTERY: Lithium ion SIZE: 6.15" (15.6 cm) WEIGHT: 1.9 oz (53.8 g)

COLOR: Black

ITEM NBR	ITEM DESCRIPTION
66133	STYLUS PRO 120V AC - INCLUDES HOLSTER - BLACK
22070	22" USB CORD
66029	NYLON HOLSTER

MICROSTREAM® USB

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1h 30m	3h 30m



This compact lithium ion battery-powered flashlight is designed for use in all markets. It features a tail cap switch with momentary or constant on operation, high and low beams and a combination pocket/hat clip for convenience. Durable aluminum construction; IPX4 water-resistant.

BATTERY: Lithium ion SIZE: 3.87" (98.2 cm) **WEIGHT:** 1.2 oz (34.1 g)

COLOR: Black



ITEM NBR	ITEM DESCRIPTION
66604	MICROSTREAM USB - USB CORD & LANYARD - BOX - BLACK
66605	MICROSTREAM USB - USB CORD & LANYARD - BOX - RED



STINGER LED HL®

800 LUMENS



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location.

BATTERY: NIMH SIZE: 8.41" (21.36 cm) **WEIGHT:** 12.4 oz (352 g)

COLOR: Black

ITEM NBR	ITEM DESCRIPTION
75430	STINGER LED HL - 120V AC/12V DC - 2 HOLDERS



- Unbreakable, scratch-resistant lens
- IPX4 water-resistant
- 1m impact-resistance tested

STRION LED HL®

615 LUMENS



When you need maximum illumination with a wide beam to search a large area, the compact Strion LED HL provides a high-powered blast of 615 lumens with 219 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location.

BATTERY: Lithium-ion SIZE: 5.90" (14.99 cm) **WEIGHT:** 5.2 oz (148 g)

COLOR: Black

ITEM NBR	ITEM DESCRIPTION
74752	STRION LED HL - 120V AC/12V DC - 2 HOLDERS



Special Features:

- IPX4 water-resistant
- 2m impact-resistance tested
- Anti-roll head

STINGER/STRION ACCESSORIES

ACCESSORIES	STINGER LED HL	STRION LED HL
5-Unit Bank Charger	75400	-
6 Unit Bank Charger 120V	-	74400
Smart Charger	75105	74102
PiggyBack® Charger (includes NiMH battery) Stinger Series	75277	
PiggyBack® Charger (battery not included) Strion Series		74115
Li-lon Battery Stick	75176	74175
NiMH Battery Stick	75375	-
12V DC1 Charge Cord	22051	22051
12V DC2 Charge Cord	22050	22050
120V AC Charge Cord	22071	22071
Leather Plain Holster	75133	74059
Leather Weave Holster	75134	74060
Nylon Holster	75927	_
Loop Nylon Holster	75928	_
Duty Holster	88053	88051
Ring Holder	75906	_



POLYTAC® x usb // POLYTAC® x



NFPA Meets requirements of NFPA 1971-8.6 (2007)

This 600 lumen tactical light incorporates Multi-Fuel Design that provides you the versatility to use two CR123 batteries or one 18650 USB rechargeable battery. Superior grip texture provides a comfortable/slipresistant feel. IPX7 - waterproof to 1 m for 30 minutes.

BATTERY: (2) CR123A lithium or (1) 18650 USB rechargeable

SIZE: 5.46" (13.87 cm)

WEIGHT: 4.4 oz (125 g) CR123; 4.9 oz (139 g) 18650 USB

COLOR: Black, Yellow

YELLOW	BLACK	ITEM DESCRIPTION
88604	88603	POLYTAC X - TWO CR123A LITHIUM BATTERIES
88614	88613	POLYTAC X USB - 18650 BATTERY

PROTAC® HL-X USB // PROTAC® HL-X



The ProTac® HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight rechargeable 18650 USB battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: 2 CR123A lithium or 1 rechargeable 18650

SIZE: 5.43" (13.8 cm)

WEIGHT: 5.7 oz (162 g) CR123; 6.2 oz (176 g) 18650 USB

COLOR: Black

ITEM NBR	ITEM DESCRIPTION
88065	PROTAC HL-X - 2 CR123A LITHIUM BATTERIES & HOLSTER
88085	PROTAC HL-X USB - 18650 USB BATTERY, USB CORD & HOLSTER

34 GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 34 3/22/19 3:52 PM

PROTAC® 90

The ProTac 90 is an ideal post fire inspection light. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to radio belt, harnesses and other gear for hands-free use.

BATTERY: 1 CR123A lithium or "AA" alkaline (included);

also accepts "AA" lithium SIZE: 3.75" (9.6cm) WEIGHT: 2.8 oz (79 g) COLOR: Black

	ITEM #	ITEM DESCRIPTION			
	88087	PROTAC 90 - LITHIUM & AA ALKALINE BATTERY & HOLSTER - CLAM			
	88088	PROTAC 90 - LITHIUM & AA ALKALINE BATTERY & HOLSTER - BOX			



TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- · low/high

CR123A	HIGH	LOW
LUMENS:	300	40
CANDELA:	5,400	700
DISTANCE:	147m	53m
RUN TIME:	1h 45m	14h

Strobe runs 2.5 hours

AA	HIGH	LOW	
LUMENS:	125	40	
CANDELA:	2,150	700	
DISTANCE:	93m	53m	
RUN TIME (ALK): 2hr 45min 8h 15m			
RUN TIME (ытн): 5h 30m 15h			

Strobe runs 3.5 hours (alk) Strobe runs 8 hours (lith)

POLYTAC/PROTAC ACCESSORIES

ACCESSORY	PART#	GOES WITH
CR123A Lithium Batteries 2pk 8pk 12pk 400pk	85175 85180 85177 85179	PolyTac X, ProTac HL-X, ProTac 90
18650 Charge Cradle (batteries sold separately)	22100	Streamlight 18650 USB Batteries
18650 USB Battery Kit (includes two batteries) 18650 USB Battery Kit 120V AC	22010 22011	PolyTac X USB, ProTac HL-X USB
18650 Battery Bank Charger	See Page 25	PolyTac X USB, ProTac HL-X USB
18650 USB Battery 2pk	22102	PolyTac X USB, ProTac HL-X USB
120V AC USB Charge Cord	22071	18650 Charge Cradle, ProTac HL USB, ProTac HPL USB
40" (101.6 cm) USB Cord 22" (55.88 cm) USB Cord	22070 22081	PolyTac X USB, ProTac HL-X USB
EPU-5200 PORTABLE CHARGER	22600	PolyTac X USB, ProTac HL-X USB
2		



DUALIE® 2AA



See what's ahead of you and right at your feet with the intrinsically safe Dualie® 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments and even includes a magnet on the tail end for hands-free use.

Work in confined spaces? Mount to your hard hat for hands-free use.

BATTERY: 2 "AA" alkaline SIZE: 6.1" (15.5 cm) WEIGHT: 3.9 oz (111 g) COLOR: Yellow or Black



ITEM NBR	ITEM DESCRIPTION
67751	DUALIE 2AA - W/O BATTERIES - BOX - YELLOW
67753	DUALIE 2AA - W/O BATTERIES - BOX - BLACK

DUALIE® RECHARGEABLE

SPOT/FLOOD COMBO 275 LUMENS

See what's ahead of you and right in front of your feet with the Dualie Rechargeable. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. A magnetic clip also features a hang-hook for methods of hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div. 1.

BATTERY: Lithium ion SIZE: 7.5" (19.05 cm) WEIGHT: 7.09 oz (201 g) COLOR: Yellow or Black



WITHOUT MAGNETIC CLIP	WITH MAGNETIC CLIP	ITEM DESCRIPTION	
68732	68793	120V/100V AC - BOX - YELLOW	
68733	68794	120V/100V AC - BOX - BLACK	
68734	68794	12V DC - BOX - YELLOW	
68735	68795	12V DC - BOX - BLACK	
68730	68785	LIGHT ONLY - BOX - YELLOW	
68731	68786	LIGHT ONLY - BOX - BLACK	

DUALIE® 3AA



See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I & II, Div. 1.

BATTERY: 3 "AA" alkaline or lithium **SIZE:** 7" (17.78 cm); 7.5" (19.05 cm) - Magnetic Clip **WEIGHT:** 6.8 oz (193 g); 7.1 oz (201 g) - Magnetic Clip

COLOR: Yellow or Black



ITEM NBR	ITEM DESCRIPTION
68751	DUALIE 3AA - W/O BATTERIES - BOX - YELLOW
68753	DUALIE 3AA - W/O BATTERIES - BOX - BLACK
68782	DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - YELLOW
68783	DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - BLACK
68780	DUALIE 3AA MAGNET - W/O BATTERIES - BOX - YELLOW
68781	DUALIE 3AA MAGNET - W/O BATTERIES - BOX - BLACK





DUALIE ACCESSORIES

PART#	GOES WITH
68085	Dualie 3AA, Dualie Rechargeable
68089	Dualie 2AA, Dualie 3AA, Dualie Rechargeable
99075	Dualie 2AA, Dualie 3AA, Dualie Rechargeable
68790	Dualie Rechargeable
68789	Dualie Rechargeable
22071	Dualie Rechargeable
22081	Dualie Rechargeable
	68085 68089 99075 68790 68789 22071

TUNE INTO YOUTUBE.COM/STREAMLIGHTTV



SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7 waterproof to 1m. It floats.

BATTERY: Rechargeable Lithium Ion battery

SIZE: 7.5" (19.05 cm) **WEIGHT:** 1 lb 14 oz (867 g) **COLOR:** Coyote or Yellow

PART NBR	ITEM DESCRIPTION
44947	SUPER SIEGE - 120V AC — COYOTE
44945	SUPER SIEGE - 120V AC — YELLOW
44909	120V AC CHARGE CORD
44950	GLARE GUARD™
44951	MAGNETIC BASE - BLACK



Rechargeable lithium ion battery

supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port



A small dry storage area is provided in the lights base for all your "keep dry" needs



38 GET MORE INFO AT STREAMLIGHT.COM

991162_Rev e_2019-SL_Fire-Catalog.indd 38 3/22/19 3:52 PM

THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Unbreakable polycarbonate lens and rugged, non-slip base. Waterproof to 1m; it floats.

BATTERY: 3 "D" alkaline

SIZE: 3.8" x 7.25" [9.65 x 18.41 cm]

WEIGHT: 1 lb 15 oz (878 g)

COLOR: Coyote

PART NBR	ITEM DESCRIPTION
44931	THE SIEGE — COYOTE
44950	GLARE GUARD™
44952	MAGNETIC BASE - BLACK

WHITE LEDS	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h

RED LED	HIGH	FLASH/SOS	
LUMENS:	10	10	
RUN TIME:	235h	43∏h	

With ((RED SOS))















SIEGE® AA

The Siege AA lantern features one white LED and two red LEDs. There are five output modes and a battery level indicator built into the on/off button. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Battery indicator flashes to alert you to low battery. Unbreakable polycarbonate lens and rugged, non-slip base. Waterproof to 1m; it floats.


BATTERY: 3 "AA" alkaline SIZE: 5.44" [13.82 cm] WEIGHT: 8.8 oz [249.47 g] COLOR: Coyote, Yellow

PART NBR	ITEM DESCRIPTION
44941	SIEGE AA — COYOTE
44943	SIEGE AA - YELLOW W/MAGNETIC BASE
44942	MAGNETIC BASE - COYOTE

WHITE LED	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15h 30m	37h

RED LEDS	HIGH	FLASH/SOS	
LUMENS:	.7	.7	
RUN TIME:	192h	288h	

With [(RED SOS)]





The yellow Siege AA has three strong magnets in the base. It's a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.







SIEGE® X USB

WHITE LED [LANTERN]	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4h 30m	7h 45m	25h

RED LEDS (LANTERN)	HIGH	sos
LUMENS:	1.6	1.6
RUN TIME:	22h	90h

FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
RUN TIME:	3h 30m	25h



The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area or a focused beam to light your path. Multiple modes including SOS for emergency signaling.

MULTI-FUEL innovation - uses Streamlight's 18650 USB battery; also accepts CR123A lithium batteries, ensuring you'll always have a beam when you need it.

Suggested applications:

- Marking beacon
- On truck lighting
- Red for in-cab use
- Storage compartment light
- Compact back-up light





BATTERY: 18650 USB or 2 CR123A lithium **SIZE:** 4.35" (11.05cm)

WEIGHT W/ 18650: 7.2 oz. (204.12g)

COLOR: Coyote











TWIN-TASK® 3AA HEADLAMP

Multi-use headlamp provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused light to fill your work area.

BATTERY: 3 "AA" alkaline WEIGHT: 7.6 oz (215 g)

COLOR: Red

ITEM NBR	ITEM DESCRIPTION
51061	TWIN-TASK 3AA HEADLAMP - ALKALINE BATTERIES AND ELASTIC STRAP — CLAM - RED
51062	TWIN-TASK 3AA HEADLAMP - ALKALINE BATTERIES AND ELASTIC STRAP — BOX - RED





FLOOD	HIGH	LOW
LUMENS:	250	125
CANDELA:	140	80
DISTANCE:	24m	18m
RUN TIME:	3h 3∩m	7h 3Ωm

BANDIT® PRO

	HIGH	LOW	
LUMENS:	180	35	
RIIN TIME:	4h 3∏m	21.5h	

Emergency flash - 180 lumens








Multi-function push-button switch with charge indicator - shines red when charging, green when charged

The Bandit Pro is an ultra-lightweight, weather-resistant headlamp featuring a large, easy-to-use push button and a rechargeable lithium polymer battery. It includes a handy snap-in clip adaptor to attach the Bandit Pro to a pocket or clip it to the visor on a ball cap; it also adds additional downward adjustability. High, low and emergency flash modes.

Two hard hat mounting options:

Rubber strap







BATTERY: Rechargeable lithium polymer

WEIGHT: 1.6 oz (45.4g)
COLOR: Yellow

ITEM NBR	ITEM DESCRIPTION
61716	BANDIT PRO - INCLUDES USB CORD, RUBBER HARD HAT STRAP AND 3M DUAL® LOCK® FASTENERS - YELLOW

ENDURO® PRO

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,2500	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h



FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h

This low-profile headlamp features multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4 water-resistant.

Two hard hat mounting options:

Rubber strap

3M® Dual Lock® reclosable fasteners





BATTERY: 3 "AAA" alkaline (included) or lithium

WEIGHT: 3.4 oz (96.35g)

COLOR: Yellow

ITEM NBR	ITEM DESCRIPTION
61422	ENDURO PRO - INCLUDES ALKALINE BATTERIES, RUBBER HARD HAT STRAP AND 3M DUAL® LOCK® FASTENERS - YELLOW



STREAMLIGHT CARES:

PRODUCTS THAT SUPPORT

NATIONAL FALLEN FIRE FIREFIGHTERS FOUNDATION



Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit www.firehero.org.

VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright blue taillight so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

BATTERY: 2 CR123A lithium **SIZE:** 3.26" (8.28 cm) **WEIGHT:** 5.14 oz (145.7 g)

COLOR: Red

115
7,000
167m
6h

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



For every red Vantage sold, we donate \$3 to the National Fallen Firefighters Foundation

ITEM NBR	ITEM DESCRIPTION
69157	VANTAGE HELMET LIGHT - RED

SIEGE[®] AA

The Siege AA lantern features one white LED and two red LEDs. There are five output modes and a battery level indicator within the on/off button. Hang the body upside down by its D-ring for hands-free area lighting. Waterproof. It floats.

BATTERY: 3 "AA" alkaline **SIZE:** 5.44" (13.82 cm) **WEIGHT:** 8.8 oz (249.47q)

COLOR: Red

ITEM NBR 44953

WHITE C4 LED	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15h 30m	37h
(2) RED LEDS	HIGH	FLASH/SOS	
(2) RED LEDS LUMENS:	нідн .7	FLASH/SOS	



ITEM DESCRIPTION	For every red Siege AA sold, we donate \$2 to the National Fallen Firefighters Foundation
SIEGE AA — RED	to the National Fallent henginers Foundation

NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

BATTERY: 4 alkaline button cell

SIZE: 1.47" [3.73 cm] **WEIGHT:** .36 oz [10 g]

COLOR: Red

LUMENS:	10	
RUN TIME:	8h	



ITEM NBR	ITEM DESCRIPTION	For ev
73005	NFFF/RED WITH WHITE LED	
61205	4 PACK COIN CELL NANO LIGHT BATTERIES	

For every red Nano Light sold, we donate ^s1 to the National Fallen Firefighters Foundation



NOTES:







PROFESSIONAL-GRADE ILLUMINATION TOOLS















Streamlight, Inc. 30 Eagleville Road Eagleville, PA U.S.A 19403-3996

streamlight.com // streamlightgear.com (800) 523-7488 Toll-Free (800) 220-7007 Fax (610) 631-0600 (610) 631-0712 Fax

©2019 Streamlight, Inc.

ISO 9001:2008 certified

asi/89871

991162 Rev E

4/19

e Market

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.

991162_Rev e_2019-SL_Fire-Catalog.indd 44 3/22/19 3:52 PM